

CERTIFICATE OF ANALYSIS No.: 2020-2239

CLIENT

KANNABIO HEMP COOPERATIVE, SKOUFA 110
GR-38334 Volos, Greece



SAMPLE











care drops 5%

Sample condition: SUITABLE
Sample ID: 204527
Sample type: Viscous liquid
Batch No.:

Work order: 2020-94375
Analysis ID: 2020_263
Method ID: PHL_RPC_10C
Method SOP: MET-002

Sample received: 03/11/2020
Start of analysis: 05/11/2020
End of analysis: 06/11/2020
Analyst: Janez Gerdenc

CANNABINOID PROFILE

| | Concentration [% w/w] | Expanded uncertainty [% w/w] | Graphic presentation of relative cannabinoid concentration |
|---|--------------------------|---------------------------------|---|
| CBDV - Cannabidivarin | 0.069 | 0.016 |  |
| CBDA - Cannabidiolic acid | < LOQ | n/a |  |
| CBGA - Cannabigerolic acid | < LOQ | n/a |  |
| CBG - Cannabigerol | 0.073 | 0.022 |  |
| CBD - Cannabidiol | 5.70 | 0.29 |  |
| THCV - Tetrahydrocannabivarin | 0.0415 | 0.0087 |  |
| CBN - Cannabinol | 0.0382 | 0.0084 |  |
| CBC - Cannabichromene | 0.140 | 0.024 |  |
| THC - Δ-9-Tetrahydrocannabinol | 0.176 | 0.030 |  |
| THCA - Δ-9-Tetrahydrocannabinolic acid | < LOQ | n/a |  |

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. **Expanded Uncertainty** was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit of PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:


06/11/2020

Approved by:



mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate